

D series comprehensive application

vehicle model	ZOTYE zhidou D1
compressor model	DM18A2



vehicle profile :
overall dimension : 2765 Lx1540 Wx1555 H
Wheel Base;1765mm
car-body structure : 2doors and 2 seats
unladen mass : 670Kg
endurance mileage : 160Km
compressor speed range: 3000-4500rpm
compressor displacement: 18 cc/rev
voltage: 72 V-DC

D series comprehensive application

vehicle model	YUDO $\pi 1$
compressor model	DM34A1



vehicle profile:
overall dimension : 4010 Lx1792 Wx1621 H
wheel base: 2460mm
car-body structure: SUV
unladen mass: 1410
endurance mileage : 250
compressor speed range: 2000 – 6000 RPM
compressor displacement: 34 cc/rev
voltage: 360 V-DC

D series comprehensive application

vehicle model	YUDO π3
compressor model	DM34A1



vehicle profile:
overall dimension : wheel base: 2460mm
car-body structure: SUV
unladen mass:
endurance mileage :
compressor speed range: 2000 – 6000 RPM
compressor displacement: 34 cc/rev
voltage: 360 V-DC

D series comprehensive application

vehicle model	ER30
compressor model	DM27A2



vehicle profile:
overall dimension : 3775 Lx1665 Wx1690 H
wheel base;2450mm
vehicle structure: 5 seats
unladen mass : 1220Kg
endurance mileage : 255Km
compressor speed range: 2400-6000rpm
compressor displacement: 27cc/rev
voltage: 81.4V-DC

D series comprehensive application

vehicle model	E17
compressor model	DM27A2



vehicle profile:

overall dimension : 4680 Lx1720Wx15450 H

wheel base;2700mm

vehicle structure: 4 doors 5 seats

unladen mass :endurance mileage : 320Km

compressor speed range: 2400- 6000rpm

compressor displacement: 27cc/rev

voltage: 81.4V-DC

D series comprehensive application

vehicle model	ZHENGZHOU NISSAN Richan Ruiqi
compressor model	DM27A1



vehicle profile:

overall dimension : 4949 Lx1690 Wx1895 H

wheel base;2950mm

vehicle structure: 5 doors 5 seats

unladen mass : 2070Kg

endurance mileage : 190Km

compressor speed range: 2000-6000rpm

compressor displacement: 27cc/rev

voltage: 320V-DC

D series comprehensive application

vehicle model	ZHENGZHOU NISSAN SHUAIKE
compressor model	DM27A1



vehicle profile:

overall dimension : 4420 Lx1695 Wx1825 H

Wheel base;2695mm

passenger load : 5人 passengers

unladen mass : 1825Kg

endurance mileage : 160Km

compressor speed range: 2000-6000rpm

compressor displacement: 27cc/rev

voltage : 320V-DC

D series comprehensive application

vehicle model	GT-03
compressor model	DM27A1



vehicle profile:

overall dimension : 3915 Lx1695 Wx1545 H

Wheel base;2460mm

vehicle structure: 5 doors 5 seats 2 two-compartment car

unladen mass : unknown

endurance mileage : unknown

compressor speed range: 2000-4500rpm

compressor displacement: 27cc/rev

voltage: 320V-DC

D series comprehensive application

vehicle model	Toyota CAMRY
compressor model	ES27C



vehicle profile:

overall dimension: 4850 Lx1825 Wx1480 H

Wheel base;2775mm

vehicle structure: 4 doors 5 seats three-compartment car

unladen mass : 1615Kg

endurance mileage : /

compressor speed range : 2000-5000rpm

compressor displacement: 24cc/rev

voltage: 320V-DC

D series comprehensive application

	ES14C



D series comprehensive application

vehicle model	ZOTYE
compressor model	DM18A1



vehicle profile:

overall dimension: 3995 Lx1620 Wx1915 H

Wheel base;2700mm

passenger load: 7 passengers

unladen mass : unknown

endurance mileage: 220Km

compressor speed range: 3500rpm fix-speed

compressor displacement: 18cc/rev

voltage: 80V-DC

remark: double evaporator

D series comprehensive application

vehicle model	YOGOMO 330
compressor model	DM18A2



vehicle profile:

overall dimension: 3450 Lx1500 Wx1500 H

Wheel base;2385mm

vehicle structure : 4 doors 5 seats

unladen mass : unknown

endurance mileage : 160Km

compressor speed range: 3000-6000rpm

compressor displacement: 18cc/rev

voltage: 80V-DC

D series comprehensive application

vehicle model	
compressor model	DM18A8



vehicle profile:
overall dimension: 3662长Lx1540宽Wx1502高H
Wheel base: 2332mm
vehicle structure: 4门 5 seats
unladen mass : unknown
endurance mileage : 200
compressor speed range: 2000-6000rpm
compressor displacement: 18cc/rev
voltage: 96V DC

D series comprehensive application

vehicle model	/
compressor model	DM27A1



vehicle profile:

overall dimension: 4200 Lx1700 Wx1900 H

Wheel base: 2715mm

vehicle structure:

unladen mass : 1445

endurance mileage : 265

compressor speed range: 2000-6000rpm

compressor displacement: 27cc/rev

voltage: 360V DC

D series comprehensive application

vehicle model	I@3
compressor model	DM34A1



vehicle profile:
overall dimension: 4545 Lx1737 Wx1495 H
Wheel base: 2600mm
vehicle structure: 4-door 5 seats
unladen mass : unknown
endurance mileage : 200
compressor speed range: 2000-6000rpm
compressor displacement: 34cc/rev
voltage: 360V-DC